



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## SUBPORTS.

Mayaguez: 8 vessels inspected and 15 bills of health issued.  
 Arecibo: 2 vessels inspected and 5 bills of health issued.  
 Humacao: No vessels inspected and 4 bills of health issued.  
 Aguadilla: 2 vessels inspected and 9 bills of health issued.  
 Arroyo: 1 vessel inspected and 8 bills of health issued.  
 Fajardo: 10 vessels inspected and 10 bills of health issued.

## MORTALITY.

Mayaguez, 124 deaths, 3 of which were due to anemia, 6 to acute bronchitis, 19 to tuberculosis, 11 to uncinariasis, 2 to pneumonia, 5 to intestinal tuberculosis, and 1 to enteric fever.

Arecibo, 83 deaths, 12 due to uncinariasis, 6 to anemia, 10 to infantile tetanus, 13 to tuberculosis, 1 to dysentery, and 1 to pneumonia.

Aguadilla, 39 deaths, 3 due to infantile tetanus, 3 to broncho-pneumonia, 4 to uncinariasis, 6 to tuberculosis, 1 to paludism, 1 to diphtheria, and 1 to meningitis.

Fajardo, 54 deaths, 3 due to paludic fever, 4 to broncho-pneumonia, 2 to enteric fever, 6 to tuberculosis, and 1 to infantile tetanus.

Arroyo, 17 deaths, 1 due to uncinariasis, 5 to paludism, 2 to infantile tetanus, and 3 to pneumonia.

Humacao, no report received.

No quarantinable diseases were reported from the subports.

*Mortality at San Juan, March, 1906.*

## CAUSES OF DEATHS.

Tuberculosis .....	13	Typhoid-pneumonia .....	1
Tetanus, infantile .....	5	Anemia .....	1
Broncho-pneumonia .....	2	Gastritis .....	1
Intestinal tuberculosis .....	2	Gastro-enteritis .....	4
Meningitis .....	5	Enterocolitis .....	10
Bronchitis, acute .....	3	Total from all other causes .....	71
Dysentery .....	1		
Pneumonia .....	1		120

## PORTUGAL.

*Report from Lisbon—Smallpox in the Cape Verde Islands.*

Vice-Consul Kinchant reports, March 29, as follows:

The consular agent at St. Vincent, Cape Verde Islands, reports that smallpox has been very prevalent for some months in St. Nicholas, and that several immigrants are leaving that island for Brava to take passage for New Bedford, Mass.

He has been directed to be careful in filling out bills of health for vessels clearing from the ports in those islands.

## FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

BRAZIL—*Pernambuco*.—Two weeks ended March 15, 1906. Estimated population, 200,000. Total number of deaths, 306, including enteric fever 3, whooping cough 1, smallpox 11, and 52 from tuberculosis.

CHILE—*Antofagasta*.—Month of February, 1906. Estimated population, 27,000. Total number of deaths, 163, including enteric fever 1, smallpox 17, plague 1, and 1 from tuberculosis.

CUBA—*Habana*.—Month of December, 1905. Population, 275,000. Total number of deaths, 451, including diphtheria 2, enteric fever 6, and 101 from tuberculosis.

FRANCE—*Marseille*.—Month of March, 1906. Estimated population, 519,285. Total number of deaths, 1,100, including diphtheria 10, enteric fever 18, measles 13, scarlet fever 1, whooping cough 4, and 126 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended April 7, 1906, correspond to an annual rate of 17 per 1,000 of population, which is estimated at 15,818,360.

*Bradford*.—Two weeks ended April 7, 1906. Estimated population, 288,544. Total number of deaths, 170, including diphtheria 3, measles 10, scarlet fever 2, whooping cough 1, and 12 from phthisis pulmonalis.

*London*.—One thousand five hundred and twenty-five deaths were registered during the week, including measles 68, scarlet fever 8, diphtheria 9, whooping cough 42, enteric fever 2, and 13 from diarrhea. The deaths from all causes correspond to an annual rate of 16.8 per 1,000. In Greater London 2,128 deaths were registered. In the "outer ring" the deaths included 1 from diphtheria, 9 from measles, 2 from scarlet fever, and 9 from whooping cough.

*Ireland*.—The average annual death rate represented by the deaths registered during the week ended April 7, 1906, in the 21 principal town districts of Ireland was 21.7 per 1,000 of the population, which is estimated at 1,093,959. The lowest rate was recorded in Galway, viz, 3.9, and the highest in Kilkenny, viz, 39.3 per 1,000. In Dublin and suburbs 159 deaths were registered, including measles 1, whooping cough 2, and 38 from tuberculosis.

*Scotland*.—The deaths registered in 8 principal towns during the week ended April 7, 1906, correspond to an annual rate of 19.4 per 1,000 of the population, which is estimated at 1,787,788. The lowest rate of mortality was recorded in Glasgow, viz, 17.9, and the highest in Dundee, viz, 23.4 per 1,000. The aggregate number of deaths registered from all causes was 665, including measles 20, diphtheria 1, enteric fever 2, scarlet fever 1, and 12 from whooping cough.

ITALY—*Genoa*.—Month of December, 1905. Estimated population, 263,638. Total number of deaths, 334, including diphtheria 1, enteric fever 3, whooping cough 2, smallpox 1, and 48 from tuberculosis.

Month of January, 1906. Estimated population, 268,837. Total number of deaths, 454, including enteric fever 2, scarlet fever 1, smallpox 1, and 58 from tuberculosis.

**JAMAICA—Kingston.**—Month of March, 1906. Estimated population, 52,065. Total number of deaths, 176, including 9 from phthisis pulmonalis.

**JAVA—Batavia.**—Two weeks ended March 17, 1906. Estimated population, 160,000. Total number of deaths not reported. No contagious diseases reported.

**SPAIN—Cadiz.**—Month of March, 1906. Estimated population, 69,382. Total number of deaths, 188. No contagious diseases reported.

*Cholera, yellow fever, plague, and smallpox, from December 30, 1905, to May 4, 1906.*

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from June 30, 1905, to December 29, 1905, see PUBLIC HEALTH REPORTS for December 29, 1905.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

#### CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
<b>India:</b>				
Bombay .....	Dec. 6-Mar. 13 .....		3	
Calcutta .....	Nov. 12-Mar. 24 .....		1,119	
Madras .....	Nov. 25-Jan. 26 .....		39	
Rangoon .....	Dec. 17-Mar. 3 .....		38	
<b>Philippine Islands:</b>				
Provinces .....	Jan. 1-Mar. 3 .....	1,421	1,095	{Total during year 1905, cases 258; deaths, 229.
Manila .....	Dec. 31-Mar. 10 .....	77	62	
<b>Russia:</b>				
General .....	Dec. 7-17 .....	36	16	
Government of Lomza .....	Nov. 23-Jan. 14 .....	34	11	
Government of Ploek .....	Dec. 4-29 .....	72	34	
Government of Siedlec .....	Nov. 20-Dec. 26 .....	29	12	
Government of Warsaw (Warsaw included).	Dec. 12-18 .....	9	5	

#### YELLOW FEVER.

<b>Brazil:</b>				
Rio de Janeiro .....	Nov. 20-Apr. 1 .....	48	40	
Sao Paulo .....	Dec. 6-12 .....		1	
<b>Colombia:</b>				
Barranquilla .....	Nov. 28-Dec. 4 .....	6	4	
Cartagena .....	Dec. 17-23 .....	1	1	
<b>Cuba:</b>				
Habana .....	Dec. 25-Feb. 17 .....	10	6	
Matanzas Province .....	Feb. 5 .....	1	1	
<b>Ecuador:</b>				
Guayaquil .....	Dec. 4-Apr. 7 .....	105	134	Estimate for March, 1906, about 300 cases, 60 deaths.
<b>Honduras:</b>				
Choloma .....	Apr. 6-17 .....	7		
El Paraiso .....	Jan. 13-19 .....		1	
Puerto Cortez .....	Mar. 13 .....	1		
San Pedro .....	Mar. 18-24 .....			Present.
<b>Mexico:</b>				
Oaxaca—				
Salina Cruz .....	Mar. 18-24 .....	1		Imported from Santa Lucrecia. Do.
Tehuantepec .....	Mar. 11-24 .....	1		
Veracruz—				
Cordoba .....	Dec. 10-16 .....	1	3	
Orizaba .....	Dec. 10-Jan. 13 .....	1	1	
Veracruz .....	Dec. 24-Apr. 6 .....	7	5	Imported from Quintana, Mexico.
Yucatan—				
Merida .....	Dec. 17-Apr. 10 .....	15	5	
<b>Nicaragua:</b>				
Managua .....	Dec. 10-Mar. 17 .....		5	
<b>Panama:</b>				
Bocas del Toro .....	Feb. 21 .....		1	
Colon .....	Dec. 8-14 .....	1		
<b>Peru:</b>				
Callao .....	Mar. 4 .....	1	1	On ss. Colombia from Guayaquil. April 4, on ss. Luxor.